Click here
Download all

ROBUST

BEST TEAM WINS

Elegant A Grade Leg

- *Elegant Appearance*
- *Strong Steel Structure*

Model	Top x Bottom (mm)
R-A-01	625 x 690 mm
R-A-02	495 x 550 mm

◀ **CORNER LEG**
RCL-01
RCL-02

★Optional Corner Leg

Fashion ET Leg

▲ ET Leg

Model	Top x Bottom (mm)
R-ET-01	580 x 650 mm
R-ET-02	580 x 580 mm
R-ET-03	420 x 420 mm
R-ET-04	420 x 580 mm

★Special Top Options (650~900 mm)
★Special Bottom Options (700~950 mm)

▲ T Leg

Model	Top x Bottom (mm)
R-T-01	580 x 650 mm
R-T-02	580 x 580 mm
R-T-03	420 x 420 mm
R-T-04	420 x 580 mm

★Special Top Options (650~900 mm)
★Special Bottom Options (700~950 mm)

▲ CENTRAL LEG
Model:RCL-05

▲ ET STRETCH TABLE FRAME
(with Centeral Leg)

◀ CORNER LEG
RCL-01
RCL-02

Ergonomics Tech- Height ET leg

Hight Adjustable ET Leg

Model	Top x Bottom (mm)
R-ET-01TH	580 x 650 mm
R-ET-02TH	580 x 580 mm
R-ET-03TH	420 x 420 mm
R-ET-04TH	420 x 580 mm

★Adjustable Range: 685～990 mm

Hight Adjustable Corner Leg
Range:685～990 mm

Competitive CD leg

Model	Top x Bottom (mm)
R-CD-01	580 x 650 mm
R-CD-02	580 x 580 mm
R-CD-03	425 x 425 mm
R-CD-04	425 x 580 mm
R-CD-05	425 x 650 mm

▲ CD LEG

Model	Top x Bottom (mm)
R-CD-01M	580 x 650 mm
R-CD-02M	580 x 580 mm
R-CD-03M	425 x 425 mm
R-CD-04M	425 x 580 mm
R-CD-05M	425 x 650 mm

▲ CD LEG (MESH)

◀ **CORNER LEG**
RCL-01
RCL-02

CD L SHAPE TABLE FRAME

Rigid Bench Leg

★Square tubing size:50 mm x 50 mm
★Square tubing size:38 mm x 38 mm

- *Super Rigid*
- *Clean Appearance*
- *Easy Installation*
- *Extensible Lengths*
- *Various Widths Options*
- *One Or Two Beam Options*

Stretch Beam

Model	Range
RSB-01	580 - 960 mm
RSB-02	780 - 1360 mm
RSB-03	980 - 1760 mm
RSB-04	1200 - 2000 mm
RSB-05	1300 - 2200 mm
RSB-06	1400 - 2400 mm

Cable Tray

Model	Description
RCT-ET-430	Cable Tray, 430 mm for 650 mm mod panel
RCT-ET-830	Cable Tray, 830 mm for 1050 mm mod panel
RCT-ET-1030	Cable Tray, 1030 mm for 1250 mm mod panel
RCT-ET-1230	Cable Tray, 1230 mm for 1450 mm mod panel
RCT-ET-1430	Cable Tray, 1430 mm for 1650 mm mod panel

Front Panel

▲ DIAMOND EMBOSSED

▲ SQUARE EMBOSSED

▲ CIRCLE EMBOSSED

▲ ELLIPSE EMBOSSED

Model	H x W	Steel thickness
RFP-ET-850	430 mm x 850 mm	0.7 mm
RFP-ET-950	430 mm x 950 mm	0.7 mm
RFP-ET-1050	430 mm x 1050 mm	0.7 mm
RFP-ET-1150	430 mm x 1150 mm	0.7 mm
RFP-ET-1250	430 mm x 1250 mm	0.7 mm
RFP-ET-1350	430 mm x 1350 mm	0.7 mm

Model	H x W	Steel thickness
RFP-ET-1450	430 mm x 1450 mm	0.7 mm
RFP-ET-1550	430 mm x 1550 mm	0.7 mm
RFP-ET-1650	430 mm x 1650 mm	0.7 mm
RFP-ET-1750	430 mm x 1750 mm	0.7 mm
RFP-ET-1850	430 mm x 1850 mm	0.7 mm

★Embossed Panel Shape Option--D: Diamond C: Circle S: Square E: Ellipse

Perforated Front Panel



▲ Install on the table leg

▲ Install under the wood top

Model	H x W	Steel thickness
RFP-ET-650-P	430 mm x 650 mm	1.0 mm
RFP-ET-1050-P	430 mm x 1050 mm	1.0 mm
RFP-ET-1250-P	430 mm x 1250 mm	1.0 mm
RFP-ET-1450-P	430 mm x 1450 mm	1.0 mm
RFP-ET-1650-P	430 mm x 1650 mm	1.0 mm
RFP-ET-926-P	430 mm x 926 mm	1.0 mm
RFP-ET-1126-P	430 mm x 1126 mm	1.0 mm
RFP-ET-1326-P	430 mm x 1326 mm	1.0 mm
RFP-ET-1526-P	430 mm x 1526 mm	1.0 mm

N Table Leg

▲ **NS TABLE LEG (Square Tubing)**
Can be connected more than two legs when need
Width: 559 mm, 711 mm, 864 mm, 1,016 mm, 1,168 mm
(With one or two Stretch Beam).

▲ **NR TABLE LEG (Round Tubing)**
Can be connected more than two legs when need
Width: 559 mm, 711 mm, 864 mm, 1,016 mm, 1,168 mm
(With one or two Stretch Beam).

◀ **Stretch Beam for Robust N Leg**
Range: RSBN-01, 800 mm - 1200 mm
RSBN-02, 1100 mm - 1700 mm
RSBN-03, 1400 mm - 2200 mm

Height Adjustable Frame

Description:

Height adjustable range: 665 mm to 1045 mm
with manual folding crank
Drive shaft: 10 mm diameter

Post Leg

◀ **R-CT-1** OD:50 mm

◀ **R-CT-2** OD:89 mm

◀ **R-CTK-1** OD:60 mm

◀ **R-CR** OD:60 mm

CPU Holder

▲ **R-CH-1**
70-120 mm Wide

▲ **R-CH-2**
134-234 mm Wide

▲ **R-CH-3**
134-234 mm Wide
w/ Sliding and Swivel Function

Others

▲ **C-FRAME TUBING LEG**

▲ **H Leg**

▲ **Budget H Leg**

▲ **Budget N Leg**

▲ **Budget N Leg**
W / End Panel

CORNER LEG

CORNER LEG
RCL-01
RCL-02

CENTRAL LEG
RCL-03

CENTRAL LEG
RCL-05

Model	Description
RCL-01	Corner Leg 90 deg.
RCL-02	Corner Leg 120 deg.
RCL-03	Corner Leg 180 deg.
RCL-05	Corner Leg 180 deg.

Round Table Base

R-RTB-1
600 mm base
Base Steel Thickness:5 mm

R-RTB-2
650 mm base
Base Steel Thickness:8 mm

R-RTB-1CP
600 mm base
w/chrome Plated

R-RTB-2CP
650 mm base
w/chrome Plated

Curve Pedestal

▲RCP-01

▲ RCP-02

▲ RCP-03

▲ RCP-04

▲ RCP-05

▲ RCP-06

▲ RCP-07

▲ RCP-08
RCP-09

Model	W x D x H (mm)	
	With SC	With PT
RCP-01	392 x 570 x 643	396 x 575 x 660
RCP-02	392 x 570 x 563	396 x 575 x 580
RCP-03	392 x 570 x 595	396 x 575 x 608
RCP-04	392 x 570 x 557	396 x 575 x 570
RCP-05	392 x 570 x 692	396 x 575 x 705
RCP-06	392 x 570 x 607	396 x 575 x 620
RCP-07	392 x 570 x 685	396 x 575 x 698
RCP-08	392 x 700 x 708	Without TOP
RCP-09	392 x 570 x 708	Without TOP

★500 mm Deep Optional

Feature:

- Foldable Key
- With Master Key
- With Removable Lock Core Key
  (Easier to switch the new lock when need)

Hanging Curve Pedestal

◎ *Attached Under The Wood Top*

◎ *Various Models*

Flat Pedestal (Normal)

◀RFP01-SB-SC

◀RFP02-SB-SC

◀RFP03-SB-SC

Model	W x D x H (mm)
RFP01-SB-SC	392 x 555 x 625
RFP02-SB-SC	392 x 555 x 670
RFP03-SB-SC	392 x 555 x 570

Flat Pedestal (True Square)

- *Various Widths 300 mm~420 mm*
- *Various Drawer High 75 mm~300 mm*
- *Various Deepth*
- *With Inter Lock System*
- *Cushion Top: Optional*

▲RFP300C

▲RFP300 ▲RFP395

▲RFP420

Feature:

- Foldable Key
- With Master Key
- With Removable Lock Core Key
  (Easier to switch the new lock when need)

Pedestal

- *Heavy Gauge Steel Structure*
- *Level Glides*
- *Steel Ball Bearing*
- *Removable Lock Core*

Model	W x D x H (inch)
RP17-2D-B	14.6" x 16.7" x 27.8"
RP21-2D-B	14.6" x 20.7" x 27.8"
RP24-2D-B	14.6" x 23.3" x 27.8"
RP29-2D-B	14.6" x 28.5" x 27.8"

Model	W x D x H (inch)
RP17-3D-B	14.6" x 16.7" x 27.8"
RP21-3D-B	14.6" x 20.7" x 27.8"
RP24-3D-B	14.6" x 23.3" x 27.8"
RP29-3D-B	14.6" x 28.5" x 27.8"

Model	W x D x H (inch)
RP17-2D-F	14.6" x 16.5" x 27.8"
RP21-2D-F	14.6" x 20.5" x 27.8"
RP24-2D-F	14.6" x 23.0" x 27.8"
RP29-2D-F	14.6" x 28.0" x 27.8"

Model	W x D x H (inch)
RP17-3D-F	14.6" x 16.5" x 27.8"
RP21-3D-F	14.6" x 20.5" x 27.8"
RP24-3D-F	14.6" x 23.0" x 27.8"
RP29-3D-F	14.6" x 28.0" x 27.8"

Hanging Pedestal

- *Heavy Gauge Steel Structure*
- *Steel Ball Bearing*
- *Removable Lock Core*

Model	W x D x H (inch)
RHP17-B	14.6" x 16.7" x 20.2"
RHP21-B	14.6" x 20.7" x 20.2"
RHP24-B	14.6" x 23.3" x 20.2"

Model	W x D x H (inch)
RHP17-F	14.6" x 16.5" x 20.2"
RHP21-F	14.6" x 20.5" x 20.2"
RHP24-F	14.6" x 23.0" x 20.2"

Movable Pedestal

- *Heavy Gauge Steel Structure*
- *Steel Ball Bearing*
- *Removable Lock Core*
- *Anti-tilt Counterweight*

Model	W x D x H (inch)
RMP21-2D-B	14.6" x 20.7" x 27.2"

Model	W x D x H (inch)
RMP21-3D-B	14.6" x 20.7" x 27.2"

Model	W x D x H (inch)
RMP21-2D-F	14.6" x 20.5" x 27.2"

Model	W x D x H (inch)
RMP21-3D-F	14.6" x 20.5" x 27.2"

Model	W x D x H (inch)
RMP21-2D-FC	14.6" x 20.5" x 22.8"

Feature:

- Foldable Key
- With Master Key
- With Removable Lock Core Key

(Easier to switch the new lock when need)

Lateral Cabinet

- *Heavy Gauge Steel Structure*
- *Steel Ball Bearing*
- *Anti-tilt Counterweight*
- *Removable Lock Core*
- *Level Glides*
- *Inter-Lock System*

Feature:

- Foldable Key
- With Master Key
- With Removable Lock Core Key
  (Easier to switch the new lock when need)

RLC (5D, B-front · F-front)

Model	W x D x H (inch)	W x D x H (mm)
RLC30-5D-B	30" x 19.7" x 66.7"	762 x 500 x 1694
RLC36-5D-B	36" x 19.7" x 66.7"	914 x 500 x 1694
RLC42-5D-B	42" x 19.7" x 66.7"	1067 x 500 x 1694
RLC30-5D-F	30" x 19.7" x 66.7"	762 x 500 x 1694
RLC36-5D-F	36" x 19.7" x 66.7"	914 x 500 x 1694
RLC42-5D-F	42" x 19.7" x 66.7"	1067 x 500x 1694

RLC (4D, B-front · F-front)

Model	W x D x H (inch)	W x D x H (mm)
RLC30-4D-B	30" x 19.7" x 52.2"	762 x 500 x 1325
RLC36-4D-B	36" x 19.7" x 52.2"	914 x 500 x 1325
RLC42-4D-B	42" x 19.7" x 52.2"	1067 x 500 x 1325
RLC30-4D-F	30" x 19.7" x 52.2"	762 x 500 x 1325
RLC36-4D-F	36" x 19.7" x 52.2"	914 x 500 x 1325
RLC42-4D-F	42" x 19.7" x 52.2"	1067 x 500 x 1325

RLC (3D, B-front · F-front)

Model	W x D x H (inch)	W x D x H (mm)
RLC30-3D-B	30" x 19.7" x 40.0"	762 x 500 x 1017
RLC36-3D-B	36" x 19.7" x 40.0"	914 x 500 x 1017
RLC42-3D-B	42" x 19.7" x 40.0"	1067 x 500 x 1017
RLC30-3D-F	30" x 19.7" x 40.0"	762 x 500 x 1017
RLC36-3D-F	36" x 19.7" x 40.0"	914 x 500 x 1017
RLC42-3D-F	42" x 19.7" x 40.0"	1067 x 500 x 1017

RLC (2D, B-front · F-front)

Model	W x D x H (inch)	W x D x H (mm)
RLC30-2D-B	30" x 19.7" x 27.8"	762 x 500 x 708
RLC36-2D-B	36" x 19.7" x 27.8"	914 x 500 x 708
RLC42-2D-B	42" x 19.7" x 27.8"	1067 x 500 x 708
RLC30-2D-F	30" x 19.7" x 27.8"	762 x 500 x 708
RLC36-2D-F	36" x 19.7" x 27.8"	914 x 500 x 708
RLC42-2D-F	42" x 19.7" x 27.8"	1067 x 500 x 708

Swing Door Cabinet

Steel Thickness: 0.7 mm (22 Gage)

Model	Specification (mm)			Specification (Inch)			Shelf	Divide	Weight
	Length	Width	Height	Length	Width	Height			
RSDC-01	914	500	705	36	19.7	28	1	6	27 kg
RSDC-02	914	500	915	36	19.7	36	2	9	35 kg
RSDC-03	914	500	1,067	36	19.7	42	3	12	41 kg

Book Shelf

- *Heavy Gauge Steel Structure*
- *Adjustable Divides*
- *Level Glides*

▲ RBS-01

▲ RBS-02

▲ RBS-03

Model	W x D x H (inch)	W x D x H (mm)
RBS-01	34.5" x 12.6" x 29.0"	876 x 321 x 740
RBS-02	34.5" x 12.6" x 47.0"	876 x 321 x 1204
RBS-03	34.5" x 12.6" x 59.0"	876 x 321 x 1497

Vertical Cabinet

▲ RVC-4D-F

- *Heavy Gauge Steel Structure*
- *Steel Ball Bearing*
- *Anti-tilt Counterweight*
- *Removable Lock Core*
- *Level Glides*
- *Inter-Lock System*

▲ RVC-2D-F

Model	W x D x H (inch)	W x D x H (mm)
RVC15-2D-F	15" x 26.5" x 27.8"	380 x 675 x 708
RVC15-3D-F	15" x 26.5" x 40.0"	380 x 675 x 1017
RVC15-4D-F	15" x 26.5" x 52.2"	380 x 675 x 1325
RVC18-2D-F	18" x 26.5" x 27.8"	458 x 675 x 708
RVC18-3D-F	18" x 26.5" x 40.0"	458 x 675 x 1017
RVC18-4D-F	18" x 26.5" x 52.2"	458 x 675 x 1325

Wardrobe Tower

- *Steel Ball Bearing Suspension*
- *Removable Lock Core*
- *0.7mm thickness of steel*
- *Right hand and Left-hand opening options*

Model	W x D x H (inch)	W x D x H (mm)
RWT-R-2D-53	23.7" x 24" x 53.6"	602 x 610 x 1361
RWT-R-3D-53	23.7" x 24" x 53.6"	602 x 610 x 1361
RWT-R-2D-63	23.7" x 24" x 63.0"	602 x 610 x 1600
RWT-R-3D-63	23.7" x 24" x 63.0"	602 x 610 x 1600
RWT-L-2D-53	23.7" x 24" x 53.6"	602 x 610 x 1361
RWT-L-3D-53	23.7" x 24" x 53.6"	602 x 610 x 1361
RWT-L-2D-63	23.7" x 24" x 63.0"	602 x 610 x 1600
RWT-L-3D-63	23.7" x 24" x 63.0"	602 x 610 x 1600

ROBUST MANUFACTURING AND MARKETING CO., LTD

NO. 173, Zhongzheng Rd., Zhutian Village , Zhutian Township, Pingtung County 91144, Taiwan
Tel：886-8-7710733; 886-8-7710833
Fax：886-8-7712833
Website：www.robust-furniture.com
E-mail：sales.robust@msa.hinet.net